

# MATERIAL SAFETY DATA SHEET

## 1. CHEMICAL IDENTITY

<b>Chemical Name / Synonyms :</b> Strong Acid Cation Exchange Resin		<b>Chemical Classification :</b> Non-Hazardous	
		<b>Trade Name :</b> Tulsion T42 H	
<b>Formula :</b> N. A.	<b>C.A.S. No. :</b> N.A.	<b>U. N. No. :</b> N. A.	<b>Ionic Form :</b> Hydrogen
<b>Regulated Identification</b>		<b>Shipping Name :</b> N.A.	<b>Hazchem No. :</b> N. A.
		<b>Hazardous waste I. D. No. :</b> N. A.	
<b>Hazardous Ingredients*</b>		<b>C.A.S. No.</b>	<b>Amount %</b>
1. Styrene – DVB copolymer with Sulfonic acid groups.			49 – 55
2. Water		7732 – 18 – 5	45 – 51
			NE = None Established

\* As defined in 29 CFR 1910.1200

## 2. PHYSICAL AND CHEMICAL DATA

<b>Physical State :</b> Solid	<b>Vapour Density ( Air = 1 ) :</b> N. A.
<b>Appearance :</b> Spherical beads	<b>Vapour pressure @ 35 °C, mm Hg :</b> N. A.
<b>Boiling Point :</b> N. A.	<b>Solubility in water @ 30°C :</b> Insoluble
<b>Melting Point :</b> N. A.	<b>Specific Gravity ( H<sub>2</sub>O = 1 ) :</b> 1.2 to 1.3
<b>Freezing Point :</b> N. A.	<b>Evaporation Rate ( B. A. = 1 ) :</b> N. A.
<b>Odour :</b> Odourless	<b>% Volatiles :</b> 45 – 51
<b>pH :</b> 6 – 8	

## 3. FIRE AND EXPLOSION HAZARD DATA

<b>Flammability</b> No	<b>LEL %</b> N. A.	<b>Flash Point ° C</b> N. A.	<b>Auto – ignition temp.</b> 427 °C / 800 Deg. F
<b>TGD Flammability</b> N. A.	<b>UEL %</b> N. A.	<b>Flash Point ° C</b> N. A.	<b>( Hazardous ) combustion products</b>
<b>Explosion Sensitivity to impact</b> : Nil			
<b>Explosion Sensitivity to Static Electricity</b> : Nil			
<b>Hazardous Polymerisation</b> : Will not occur			
<b>Combustible Liquid :</b> N. A.	<b>Explosive Material :</b> N. A.	<b>Corrosive Material:</b> N. A.	
<b>Flammable Material:</b> N. A.	<b>Oxidiser</b> : N. A.	<b>Others</b> : N. A.	
<b>Pyrophoric Material:</b> N. A.	<b>Organic Peroxide</b> : N. A.		

#### 4. REACTIVITY DATA

<b>Chemical Stability</b>	: Chemically stable. Avoid temperatures above 220° C / 428 Deg. F
<b>Incompatibility with other material</b>	: Avoid strong oxidising agents such as Nitric acid.
<b>Reactivity</b>	: N. A.
<b>Hazardous reaction products</b>	: N. A.

#### 5. HEALTH HAZARD DATA

<b>Routes of Entry</b>	<b>Effects of Exposure / Symptoms</b>	<b>Emergency Treatment</b>		
Eye	Solid or Dust may cause irritation or Corneal injury due to mechanical action.	Wash thoroughly with water		
Skin Contact	Prolonged or repeated exposure not likely to cause any significant skin irritation	N. A.		
Skin Absorption	Skin absorption is unlikely due to physical properties.	N. A.		
Inhalation	Vapours are unlikely due to physical properties.	N. A.		
Ingestion	Single dose Oral LD <sub>50</sub> has not been determined. Single dose Oral toxicity is believed to be low. No hazardous anticipated from ingestion incidental to industrial exposure.			
Systemic and other effects	No specific data available. However repeated exposure is not anticipated to cause any significant adverse effects.			
<b>TLV ( ACGIH )</b>	: N. A.	<b>STEL</b> : N. A.		
<b>Permissible Exposure Limit LD<sub>50</sub></b>	: N. A.	<b>Odour Threshold LD<sub>50</sub></b> : N. A.		
<b>NFPA Hazard Signals :</b> N. A.	<b>Health</b> N. A.	<b>Flammability</b> Non flammable	<b>Stability</b> Chemically stable	<b>Special</b> N. A.

#### 6. PREVENTIVE MEASURES

<b>Personnel Protective Equipment</b>	:
Face mask , Impervious gloves , Splash goggles , Eye washer	
<b>Handling and Storage Precautions</b>	:
Store in a cool enclosed place. Avoid repeated freeze – thaw cycles.	

## 7. EMERGENCY AND FIRST AID MEASURE

<b>FIRE</b>	<b>Fire Extinguishing Media</b> :	Dry Chemical , CO <sub>2</sub> , Water fog
	<b>Special Procedures</b> :	Wear MSHA / NIOSH approved , pressure demand self contained breathing apparatus / equipment.
	<b>Unusual Hazards</b> :	N. A.
<b>EXPOSURE</b>	<b>First Aid Measures</b> :	N. A.
	<b>Antidotes / Dosages</b> :	N. A.
<b>SPILLS</b>	<b>Steps to be taken</b> :	Sweep up immediately.
	<b>Waste Disposal Method</b> :	<ol style="list-style-type: none"> <li>1. Landfill / Incineration</li> <li>2. New material may be disposed off as ordinary trash.</li> <li>3. Used material which has been contaminated with heavy metals or radioactive metals or toxic substances must be treated as per local state and federal regulations.</li> </ol>

## 8. ADDITIONAL INFORMATION

Do not pack column with dry resin. Dry beads expand when wetted , which may cause glass column to shatter.
Strong oxidising agents such as Nitric acid can cause explosive reactions. Nitric acid regeneration should be carried out by experienced personnel only.

## 9. MANUFACTURER / SUPPLIERS DATA

<b>Thermax Limited ,</b> <b>Chemical Division ,</b> <b>Village Paudh , Post Majgaon ,</b> <b>Taluka Khalapur ,</b> <b>Dist. Raigad 410206 ,</b> <b>India</b> <b>Phone : 011/91/020/7120181/7120169</b> <b>Fax : 011/91/020/7120206</b>	<b>Contact Person In Emergency :</b> Factory Manager
	<b>Local Bodies involved :</b> N. A.
	<b>Standard Packing :</b> As per mentioned in literature leaflet
	<b>Tremcard Details / Ref.</b> N. A.
	<b>Others :</b> N. A.

The data and recommendations presented herein are based upon our research and research of others, and are believed to be accurate. However no warranty is implied or expressed regarding the accuracy of these data or results to be obtained from the use thereof.

Thermax limited assumes no responsibility for injury to customers or third persons caused by the material/s if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally , since actual use by others is beyond our control , no guarantee , expressed or implied , is made by Thermax Limited as to the effects of such use , the results to be obtained , or the safety and toxicity of the product nor does Thermax Limited assume any liability arising out of use , or misuse , by others , of the product referred to herein.

Information proved herein is provided by Thermax Limited solely for Customer's assistance in complying with the Occupational Safety and Health Act of 1970 and regulations thereunder. Any other use is prohibited.

**Rev. 000**

**Date : 07 / 01 / 2003**

